

APPENDIX 4 SOLUTION DESCRIPTION

Contract on subsidy for carbon capture, transport, and storage

Danish Energy Agency

Carsten Niebuhrs Gade 43 DK-1577 Copenhagen V

Niels Bohrs Vej 8

1 DK-6700 Esbjerg



Instructions for tenderers

This Appendix <u>4</u> shall contain the <u>T</u>tenderer's solution description.

The Tenderer shall complete this the solution description in accordance with the instructions and guidance text in this Appendix <u>4</u> and submit the <u>Appendix solution description</u> as a part of the Tenderer's Offer.

The solution description shall contain the Tenderer's responses to and description of how the Tenderer complies with the project description and the requirements, as specified in Appendix 3, Requirements specification.

The Tenderer should create sub-appendices to the solution description in <u>accordance with the guidance text stated</u> when herein stated and when deemed appropriate by the Tenderer. <u>The sub-appendices to be delivered</u> is specified below.

If relevant, the Tenderer should ensure that there is a clearly identifiable and traceable reference to the sub-appendices.

The Tenderer should make use of references to relevant standards, certifications, verifications, and similar documentation, as appropriate.

The Tenderer's responses to the overall solution description, the Financial Requirements, the Technical Requirements, and the Operational Requirements are included in the evaluation of Offers as specified in Appendix A, Offer evaluation-.

This guidance text and the guidance text provided for the Tenderer's responses will be deleted by the DEA in connection with conclusion of the Contract.



Table of Contents

Overview of sub-appendices to be delivered	
Overall solution description	
Requirement R-2	
Requirement R-3	
Requirement R-4	
Requirement R-5	<u></u>
Requirement R-6	<u></u>
Requirement R-10	
Requirement R-11	<u></u>
Requirement R-12	<u>119</u>
Requirement R-13	<u></u>
Requirement R-14	
Requirement R-18	<u>1310</u>
Requirement R-19	
Requirement R-20	
Overall solution description	
	······
Overview of sub-appendices to be delivered	
•	5
Overview of sub-appendices to be delivered	<u>5</u> <u>6</u> 5
Overview of sub-appendices to be delivered	5 <u>6</u> 5 <u>7</u> 6
Overview of sub-appendices to be delivered Requirement R-1 Requirement R-2	5 <u>6</u> 5 <u>7</u> 6 <u>7</u> 6
Overview of sub-appendices to be delivered Requirement R-1 Requirement R-2 Requirement R-3	5 <u>6</u> 5 <u>7</u> 6 <u>7</u> 6 <u>7</u> 6 <u>8</u> 6
Overview of sub-appendices to be delivered Requirement R-1 Requirement R-2 Requirement R-3 Requirement R-4	
Overview of sub-appendices to be delivered Requirement R-1 Requirement R-2 Requirement R-3 Requirement R-4 Requirement R-5	
Overview of sub-appendices to be delivered Requirement R-1 Requirement R-2 Requirement R-3 Requirement R-4 Requirement R-5 Requirement R-6	
Overview of sub-appendices to be delivered Requirement R-1 Requirement R-2 Requirement R-3 Requirement R-4 Requirement R-5 Requirement R-6 Requirement R-10	
Overview of sub-appendices to be delivered Requirement R-1 Requirement R-2 Requirement R-3 Requirement R-4 Requirement R-5 Requirement R-6 Requirement R-10 Requirement R-11	5 <u>6</u> 5 <u>7</u> 6 <u>7</u> 6 <u>8</u> 6 <u>9</u> 7 <u>9</u> 7 <u>9</u> 7 <u>10</u> 8 <u>10</u> 8 <u>11</u> 8
Overview of sub-appendices to be delivered Requirement R-1 Requirement R-2 Requirement R-3 Requirement R-4 Requirement R-5 Requirement R-6 Requirement R-10 Requirement R-11 Requirement R-12	
Overview of sub-appendices to be delivered Requirement R-1 Requirement R-2 Requirement R-3 Requirement R-4 Requirement R-5 Requirement R-6 Requirement R-10 Requirement R-11 Requirement R-12 Requirement R-13	
Overview of sub-appendices to be delivered Requirement R-1 Requirement R-2 Requirement R-3 Requirement R-4 Requirement R-5 Requirement R-6 Requirement R-10 Requirement R-11 Requirement R-12 Requirement R-13 Requirement R-14	5 <u>6</u> 5 <u>76</u> <u>76</u> <u>86</u> <u>97</u> <u>97</u> <u>108</u> <u>108</u> <u>118</u> <u>129</u> <u>1210</u>

formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol	formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol	21 · · · · ·
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol	
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol	51
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol	
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol	51
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave-	
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol	21 · · · · ·
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave-	
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave-	
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave-	
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave-	formaterede: Standardskrifttype i afsnit, Dansk, Stave-
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave-	og grammatikkontrol
og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave-	formaterede: Standardskrifttype i afsnit, Dansk, Stave-
	formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave-
	formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave- og grammatikkontrol formaterede: Standardskrifttype i afsnit, Dansk, Stave-



Overall solution description

Instruction

The Tenderer should provide an overall solution description as a complete and collective description of the entire project. The description should include, although not limited to, relevant illustrations, verbal descriptions of the entire value chain, applied technology and systems, operational processes describing how the Tenderer eventually will operate the entire system. The Tenderer should provide the overall solution description in sub-appendix 4.A, Overall solution description.

Overall solution description

Formateret tabel



Overview of sub-appendices to be delivered

Sub-appendices	Requirement
Sub-appendix 4.A, Overall solution description	
Sub-appendix 4.B, Planning Methodology and	R-1
Milestone Plan Report	
Sub-appendix 4.C, Authority Approval Plan	R-2
Sub-appendix 4.DD, Risk Management Plan	<u>R-3</u>
Sub-appendix 4.D, Risk assessment plan	R-3
Sub-appendix 4.E, Risk assessment matrix	R-3
Sub-appendix 4.F, Risk log	R-3
Sub-appendix 4.G, QHSE Plan	R-4
Sub-appendix 4.H, QHSE log	R-4
Sub-appendix 4.I, Inspection procedure	R-4
Sub-appendix 4.J, QHSE report	R-4
Sub-appendix 4.K, Knowledge Sharing Plan	R-5
Sub-appendix 4.L, Knowledge sharing summary	R-5
report	
Sub-appendix 4.M, Public Engagement Plan	R-6
Sub-appendix 4.N, Construction Interface	R-10
Procedure	
Sub-appendix 4.O, Financing Plan	R-11
Sub-appendix 4.P, Financing model summary sheet	R-11
Sub-appendix 4.Q, Business Plan	R-12
Sub-appendix 4.R, Business model summary sheet	R-12
Sub-appendix 4.S, Technical Design	R-13
Sub-appendix 4.T, Total design verification plan	R-13
Sub-appendix 4.U, Test and Commissioning Plan	R-14
Sub-appendix 4.UU, Test event log	<u>R-14</u>
Sub-appendix 4.V, Report on CO ₂ production	R-18
(subject to the EU ETS)	
Sub-appendix 4.W, Measurement system for CO ₂	R-19
storage reporting	
Sub-appendix 4.X, CO ₂ Origin Verification Plan	R-20



Overall solution description

Instruction

<u>The Tenderer should provide an overall solution description as a complete and</u> <u>collective description of the entire project. The description should include, although</u> <u>not limited to, relevant illustrations, verbal descriptions of the entire value chain,</u> <u>applied technology and systems, operational processes describing how the</u> <u>Tenderer eventually will operate the entire system.</u>

Sub-appendices

The Tenderer should provide:

• <u>+</u>The overall solution description in sub-appendix 4.A, "Overall solution <u>description"</u>.

Overall solution description

Requirement R-1

Milestone Plan.

Instruction

•

The Tenderer shall-should, as its answer to R-1 provide- the following:

- -A draft Milestone Plan-in Appendix 5, Time schedules.
 - Furthermore, the Tenderer shall provide A description of the Tenderer's chosen planning methodology and

The **D**draft Milestone Plan shall include what is described in R-1 in Appendix 3, Requirements specification and Appendix 5, Time schedules.

The Tenderer should as its answer to R-1 provide the following: • An example of the Milestone Plan report

The <u>Tenderer's dDraft Milestone Plan, chosen planning methodology, and</u> example of the <u>the draft mM</u>ilestone plan report shouldall_include what is described in R-1 of Appendix 3, Requirement specification , and Appendix 5, Time <u>schedules</u>

Sub-appendices

The Tenderer sh<u>ould</u>all provide:

• The draft Milestone Plan in Appendix 5, Time schedules

formaterede: Engelsk (USA)



The Tenderer should provide:

 <u>TheA description of the planning methodology and</u> example of <u>mMi</u>lestone <u>pP</u>lan report in sub-appendix 4.B, "Planning Methodology and Milestone Plan Report"

Requirement R-2

Authority Approval Plan.

Instruction

The Tenderer <u>should shall as its</u> answer to R-2 provide <u>the following:</u>
<u>-A d</u>Praft Authority Approval Plan.

-The <u>Tenderer's_Dd</u>raft Authority Approval Plan <u>should-shall</u> include what is described in R-2 of Appendix 3, Requirements specification.

Sub-appendices

The Tenderer should provide:

• The draft Authority Approval Plan in sub-appendix 4.C, "Authority Approval Plan".

Requirement R-3

Risk Management Plan.

Instruction

The Tenderer should shall as its answer to R-3 provide the following:

- A draft Risk assessment plan
- A draft Risk assessment matrix
- A draft Risk log

The <u>dPraft</u> Risk Management Plan <u>should shall</u> include a description of a chosen risk management framework and approach.

The Tenderer's <u>d</u>-Draft Risk Management Plan, draft of a Rrisk assessment plan, draft of a r<u>R</u>isk assessment matrix, and draft of the content of a <u>R</u>risk log should <u>shall</u> include what is described in R-3 of Appendix 3, Requirements specification.

Sub-appendices



The Tenderer should provide:

- <u>The draft Risk Management Plan in sub-appendix 4.DD, "Risk</u> Management Plan"
- <u>The A, the</u> draft of a <u>R</u> risk assessment plan in sub-appendix 4.D, <u>"Risk</u> assessment plan"
- <u>TheA</u>_draft of a risk assessment matrix in sub-appendix 4.E, <u>"Risk</u> assessment matrix", and
- <u>The A-dd</u>raft of the content of the rRisk log in sub-appendix 4.F, <u>"Risk log"</u>.

Answer to requirement R-3

Requirement R-4

QHSE Plan.

Instruction

The Tenderer should shall as its answer to R-4 provide the following a:

- <u>A</u>-a-d</u>Draft QHSE Plan-including suggested KPI
- A , Draft QHSE log
- A Draft Inspection Procedure

The <u>Tenderer's Dd</u>raft QHSE Plan, <u>draft QHSE Llog, draft Inspection pProcedure</u>, and the headlines for the QHSE report should <u>shall</u> include what is described in R-4 of Appendix 3, Requirements specification.

The tenderer should as its answer to R-4 provide the following:

- A draft QHSE log
- A draft Inspection Procedure
- Headlines for the QHSE report

The draft QHSE log, draft Inspection Procedure, and headlines for the QHSE report should include what is described in R-4 of Appendix 3, Requirements specification.

The Tenderer should provide evidence documentation of relevant management system in the form of certificates, if applicable relevant.

Sub-appendices

The Tenderer should provide

- •_____+The ____Praft QHSE Plan in sub-appendix 4.G, ___QHSE Plan____
- <u>The dDd</u>raft of the content for QHSE log in sub-appendix 4.H, "QHSE log";
- •____The draft Inspection Procedure in sub-appendix 4.1, "Inspection Procedure"
- •_____The headlines for the QHSE report in sub-appendix 4.1, <u>"QHSE report"</u>



Answer to Requirement R-4

Requirement R-5

Knowledge Sharing Plan.

Instruction

The Tenderer should shall as its answer to R-5 provide the following:

- •____<u>-A_example of the draft</u> Knowledge Sharing Plan and
- <u>An example with headlines and KPI's of the K</u>knowledge sharing summary report_specifically headlines and KPI's.

The <u>Tenderer's</u> <u>example</u> <u>of the draft</u> Knowledge Sharing Plan and example of the <u>kKnowledge</u> sharing summary report should <u>shall</u> include what is described in R-5 of Appendix 3, Requirements specification.

The Tenderer should as its answer to R-5 provide the following:

• An example of the Knowledge sharing summary report specifically headlines and KPI's.

<u>The Tenderer's example of the Knowledge sharing summary report should include</u> <u>what is described in R-5 of Appendix 3, Requirements specification.</u>

Sub-appendices

The Tenderer should provide

- <u>The example-draftof a</u> Knowledge Sharing Plan in sub-appendix 4.K, <u>"Knowledge Sharing Plan"</u>
- <u>The</u>example of the <u>kK</u>nowledge sharing summary report in sub-appendix 4.L, <u>"Knowledge sharing summary report"</u>.

Answer to Requirement R-5

Requirement R-6

Public Engagement Plan.

Instruction

The Tenderer <u>should shall</u> as its answer to R-6 provide <u>the following:</u> <u>-A d</u>raft Public Engagement Plan.



The <u>Tenderer's</u>-draft <u>Public Engagement Plan</u> <u>should</u>-<u>shall</u> include what is described in R-6 of Appendix 3, Requirements specification.

Sub-appendices

The Tenderer should provide

 <u>The</u><u>-Ddraft</u>Public Engagement Plan in sub-appendix 4.<u>M</u>, <u>"Public</u> Engagement Plan<u>"</u>.

Answer to Requirement R-6

Requirement R-10

Construction Interface Procedure.

Instruction

The Tenderer <u>should_shall</u> as its answer to R-10 provide <u>the following:</u> <u>A draft Construction Interface Procedure-</u>

The Tenderer's proposed <u>draft</u> Construction Interface Procedure should shall include what is described in R-10 of Appendix 3, Requirements specification.

Sub-appendices

The Tenderer should provide

• <u>The draft</u> Construction Interface Procedure in sub-appendix 4.N, <u>"Construction Interface Procedure"</u>.

Answer to Requirement R-10

Requirement R-11

Financing Plan.

Instruction

- The Tenderer should shall as its answer to R-11 provide the following:
 - <u>A</u> <u>d</u>raft Financing Plan.
 - A draft Financing model summary sheet (only to be provided in case of external financing, i.e. not parent company financing)

The <u>Tenderer's</u><u>draft proposed</u>-Financing Plan<u>and if relevant, the draft Financing</u> <u>model summary sheet</u><u>-should shall</u> include what is described in R-11 of Appendix 3, Requirements specification.



The Financing Plan shall be a written description of the input data and cost calculations provided in the excel sheet of the Financing model summary sheet.

and include a written description and an excel model, and The Financing Plan shouldshall, if relevant, provide documentation of the expected investments and funding sources.

The Financing Plan should describe The Tenderer should describe the method for calculation and the validation of the consistency of the data used in the Financing Plan with the input data used in the relevant cost calculation sheets and mandatory financial model summary sheet.

If the Tenderer has obtained third-party validation, the Tenderer should describe the basis and scope of such validation.

Sub-appendices

The Tenderer should provide:

- •____+The draft_Financing Plan_in sub-appendix 4.0, "Financing Plan", and
- <u>tThe draft F</u>financing model summary sheet in sub-appendix 4.P, "Financing model summary sheet"-

Answer to Requirement R-11

Requirement R-12 Business Plan.

Instruction

The Tenderer should shall as its answer to R-12 provide the following:

- <u>A</u> draft Business Plan. •
- A draft Business model summary sheet

The Tenderer's proposed draft Business Plan and draft Business model summary <u>sheet</u> should all- include what is described in R-12 of Appendix 3, Requirements specification.

The Tenderer should describe the method for calculation and the validation of the consistency of the data used in the Business Plan with the input data used in the relevant cost calculation sheets in the draft and mandatory bBusiness model summary sheet.

If the Tenderer has obtained third-party validation, the Tenderer should describe the basis and scope of such validation.



Sub-appendices

The Tenderer should provide

- <u>The draft -B</u>business model summary sheet in sub-appendix 4.R, <u>"Business</u> model summary sheet<u>"</u>-

Answer to Requirement R-12

Requirement R-13

Technical Design.

Instruction

The Tenderer should shall as its answer to R-13 provide the following:

- •____-<u>Aa</u> <u>d</u>Praft Technical Design
- •_____. As part of the Technical Design, a<u>A</u> draft of the<u>T</u>-total design verification plan

should also be provided. The Tenderer's proposed draft Technical Design and draft total design verification plan should shall include what is described in R-13 of Appendix 3, Requirements specification.

Sub-appendices

The Tenderer should provide:

- <u>t</u><u>T</u>he <u>d</u>Draft Technical Design in sub-appendix 4.<u>S</u>, <u>"</u>Technical Design"<u></u>
- •____
- <u>The d-d</u>raft-<u>of the t </u>Total design verification plan in sub-appendix 4.<u>T</u>, <u>"</u>Total design verification plan<u>"</u>-

Answer to Requirement R-13

Requirement R-14 Test and Commissioning Plan.



Instruction

The Tenderer <u>should shall</u> as its answer to R-14 provide <u>the following:</u> <u>aA Dd</u>raft Test and Commissioning Plan

-The Tenderer's Ddraft Test and Commissioning Plan and the draft of the content for the test event log should shall include what is described in R-14 of Appendix 3, Requirements specification.

<u>The Tenderer should as its answer to R-14 provide the following:</u> <u>• A draft Test event log</u>

<u>The draft Test event log should include what is described in R-14 of Appendix 3.</u> <u>Requirements specification.</u>

Sub-appendices

The Tenderer should provide:

- •<u>+</u>**The** <u>d</u>**-Praft** Test and Commissioning Plan<u>-in sub-appendix 4.U, "Test and Commissioning Plan" <u></u></u>
- and the<u>The</u> draft of the content for the t<u></u>est event log in sub-appendix
 4.UU, "Test event Log".

Answer to Requirement R-14

Requirement R-18

Report on CO₂ production (subject to the EU ETS)

Instruction

If the CO₂ production is subject to the EU ETS, the Tenderer <u>should shall</u> answer R-18, otherwise not.

The Tenderer's <u>shall as its</u> answer to R-18 <u>provide the following:</u>

 <u>An example of the Report on CO₂ production (subject to the EU ETS)</u>
 <u>Verified CO₂ emission report</u>

<u>The example of the Report on CO₂ production (subject to the EU ETS) shall include</u> what is described in R-18 of Appendix 3, Requirements specification.

<u>The example of the Report on CO₂ production (subject to the EU ETS) shall include a</u> <u>verified CO₂ emission report (In Danish: CO₂-udledningsrapport), documenting the</u> <u>actual Fraction of</u>



<u>The Tenderer should provide an example of the Report on CO₂ production. In the report, the Tenderer should document the actual Fraction of CO₂ production subject to the EU ETS. <u>and tThe verification of the CO₂ emission report shall also be included.</u></u>

<u>The example of the Report on CO_2 production shall also include a</u>-and forecasted Fraction of CO_2 production (subject to the EU ETS).

Sub-appendices

In the Tenderer's answer to R-18, a current, verified CO_2 -emission report (In Danish: CO_2 -udledningsrapport), documentation of verification as well as an illustrative example of the forecasted fraction should be provided. The Tenderer should provide:

___tThe <u>example of the FR</u>eport on CO₂ production (subject to the EU ETS) in sub-appendix 4.V, "Report on CO₂ production (subject to the EU ETS)".

Answer to Requirement R-18

Requirement R-19

Description of the measurement system for CO₂ storage reporting.

Instruction

The Tenderer's<u>r</u> shouldshall as its answer to R-19 provide the following:

- A description of the Mmeasurement system for CO₂ storage reporting
- An example of the Report of Delivered Quantity

<u>The description of the measurement system for CO₂ storage reporting and the</u> <u>example of the Report on Delivered Quantity</u> <u>should shall</u> include what is described in R-19 of Appendix 3, Requirements specification.

<u>The description of the measurement system for CO₂ storage reporting should shall include documentation of any</u>

The Tenderer should as its answer to R-19 provide a description of the measurement system for CO_2 storage reporting, an example of the Report on Delivered Quantity and information on / documentation for any validation and verification of the proposed measurement system for CO_2 storage reporting conducted at this time.

Sub-appendices

The Tenderer should provide:



- <u>The description of the M</u>measurement system for CO₂ storage reporting in sub-appendix 4.W "Measurement system for CO₂ storage reporting"
- The example of the <u>R</u>report on Delivered Quantity and the information on <u>/ documentation for any validation and verification conducted at this time</u> in sub-appendix 4.<u>X</u>, <u>"Report on Delivered Quantity"</u>

Answer to Requirement R-19

-

Requirement R-20

 $CO_2\,Origin$ Verification Plan and Verification of origin of stored quantity of $CO_2.$

Instruction

The Tenderer <u>should</u> as its answer to R-20 provide <u>the following:</u> <u>A draft CO₂ Origin Verification Plan.</u>

The <u>Tenderer's d</u>raft <u>CO₂ Origin Verification shall</u> include what is described in R-20 of Appendix 3, Requirements specification.

Sub-appendices

- -The Tenderer should provide:
 - <u>t</u>he CO₂ Origin Verification Plan<u>in sub-appendix 4.Y, CO₂ Origin</u> <u>Verification Plan</u>
 - •

Answer to requirement R-20